SDS Revision Date: 07/07/2015 File No.: 0029

### 1. Identification

1.1. Product identifier

Product IdentityPoly ShineAlternate NamesPoly Shine

Product Codes: 1122, 12122, LI1114, LI1112

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Intended use**Used to polish fiberglass.

1.3. Details of the supplier of the safety data sheet

Company Name Life Industries Corporation

4060 Bridge View Drive N. Charleston, SC 29405

**Emergency** 

**CHEMTREC (USA)** (800) 424-9300

**24 hour Emergency Telephone No.** USA: 1-800-424-9300

Outside USA: +1-703-527-3887

Customer Service: Life Industries Corporation +1-843-566-1225

### 2. Hazard(s) identification

#### 2.1. Classification of the substance or mixture

Flam. Lig. 3;H226 Flammable liquid and vapor.

STOT RE 1;H372 Causes damage to organs through prolonged or repeated exposure. Specific Target

Organs: (central nervous system )

#### 2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



### Danger

H226 Flammable liquid and vapor.

H372 Causes damage to organs through prolonged or repeated exposure.

#### [Prevention]:

P210 Keep away from heat / sparks / open flames / hot surfaces - No smoking.

P235 Keep cool.

SDS Revision Date: 07/07/2015 File No.: 0029

P240 Ground / bond container and receiving equipment.

P241 Use explosion-proof electrical / ventilating / light / equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P260 Do not breathe mist / vapors / spray.

P262 Do not get in eyes, on skin, or on clothing.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves / eye protection / face protection.

#### [Response]:

P301+310 IF SWALLOWED: Immediately call a POISON CENTER or doctor / physician.

P303+361+353 IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.

P314 Get Medical advice / attention if you feel unwell.

P331 Do NOT induce vomiting.

P370+378 In case of fire: Use extinguishing media listed in section 5 of SDS for extinction.

#### [Storage]:

P403+233 Store in a well ventilated place. Keep container tightly closed.

#### [Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

## 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

| Ingredient/Chemical Designations                                       | Weight % | GHS Classification                 | Notes |
|--|----------|------------------------------------|-------|
| Solvent naphtha (petroleum), medium aliphatic CAS Number: 0064742-88-7 | 10 - 25  | STOT RE 1;H372<br>Asp. Tox. 1;H304 | [1]   |
| Solvent naphtha (petroleum), light aromatic CAS Number: 0064742-95-6   | 1.0 - 10 | Asp. Tox. 1;H304                   | [1]   |

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. First aid measures

#### 4.1. Description of first aid measures

**General** In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

**Inhalation** Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

<sup>[1]</sup> Substance classified with a health or environmental hazard.

<sup>[2]</sup> Substance with a workplace exposure limit.

<sup>[3]</sup> PBT-substance or vPvB-substance.

<sup>\*</sup>The full texts of the phrases are shown in Section 16.

SDS Revision Date: 07/07/2015 File No.: 0029

artificial respiration. If unconscious place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

**Skin** Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

**Ingestion** Do not induce vomiting. **IMMEDIATELY** seek a physician.

#### 4.2. Most important symptoms and effects, both acute and delayed

Overview Exposure to solvent vapor concentrations from the component solvents in excess of the

stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatique, muscular

weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage. See section 2 for further details.

### 5. Fire-fighting measures

#### 5.1. Extinguishing media

Use dry chemicals, carbon dioxide foam, water fog, or inert gas (nitrogen) for small fires. For large fires use foam, water fog, or water spray. Water fog and spray are effective in cooling containers and adjacent structures but might cause frothing and/or not achieve extinguishment. A water jet may be used to cool the container's external walls to prevent pressure build-up, auto ignition, or explosion. NEVER use a water jet directly on the fire. Product will float and can be re-ignited on surface of water.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Oxides of Carbon, Aldehydes and Hydrocarbons.

Keep away from heat / sparks / open flames / hot surfaces - No smoking.

Keep cool.

Ground / bond container and receiving equipment.

Use explosion-proof electrical / ventilating / light / equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe mist / vapors / spray.

Do not get in eyes, on skin, or on clothing.

#### 5.3. Advice for fire-fighters

In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

Autoignition temperature is greater than 200F.

None

SDS Revision Date: 07/07/2015 File No.: 0029

ERG Guide No. 128

#### 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

#### 6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

#### 6.3. Methods and material for containment and cleaning up

Confine spill with noncombustible absorbent such as vermiculite. Avoid sparks. Use proper hazmat storage container. If required notify local agencies and EPA.

Eliminate ignition sources. Soak up with noncombustible absorbent material. Remove absorbent material for proper disposal.

### 7. Handling and storage

#### 7.1. Precautions for safe handling

Avoid contact with skin and eyes by using personal protective equipment.

See section 2 for further details. - [Prevention]:

#### 7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Strong acids, alkalis, and oxidizers such as liquid chlorine, halogens, hydrogen peroxide, oxygen.

This product is combustible. Store in a cool area in original containers. Store as OSHA CLass III flammable liquid. See section 2 for further details. - [Storage]:

#### 7.3. Specific end use(s)

If used in a closed area, provide adequate ventilation to minimize exposure to vapors.

## 8. Exposure controls and personal protection

#### 8.1. Control parameters

#### **Exposure**

| CAS No.  | Ingredient | Source               | Value                |
|--|------------|----------------------|----------------------|
| 0064742-88-7 Solvent naphtha (petroleum), medium | OSHA       | No Established Limit |                      |
|  | aliphatic  | ACGIH                | No Established Limit |
|  |            | NIOSH                | No Established Limit |

SDS Revision Date: 07/07/2015 File No.: 0029

|  |          | Supplier             | No Established Limit |
|--|----------|----------------------|----------------------|
| 0064742-95-6 Solvent naphtha (petroleum), light aromatic | OSHA     | No Established Limit |                      |
|  | ACGIH    | No Established Limit |                      |
|  | NIOSH    | No Established Limit |                      |
|  | Supplier | No Established Limit |                      |

#### Carcinogen Data

| CAS No.  | Ingredient                              | Source | Value  |
|--|---|--------|--|
| 0064742-88-7 Solvent naphtha (petroleum), medium aliphatic |   | OSHA   | Select Carcinogen: No  |
|  |   | NTP    | Known: No; Suspected: No   |
|  |   | IARC   | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |
| 0064742-95-6   | - · · · - · · ·     · · · · · · · · · · |        | Select Carcinogen: No  |
| aromatic   |   | NTP    | Known: No; Suspected: No   |
|  |   | IARC   | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; |

#### 8.2. Exposure controls

**Respiratory** Generally is not needed; use NIOSH approved if necessary.

**Eyes** Goggles should be worn.

**Skin** PVC or rubber gloves. Wear nitrile or similar chemical resistant gloves to keep skin contact

to a minimum.

Refer to the manufacturer's recommendations regarding the suitability of any gloves used.

**Engineering Controls** Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits

suitable respiratory protection must be worn.

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

### 9. Physical and chemical properties

Appearance Slightly Viscous White Liquid

Odor Typical Solvent Odor

Odor threshold

pH

Not Measured

Melting point / freezing point

Not Measured

Initial boiling point and boiling range

Flash Point

113F/45C

Evaporation rate (Ether = 1)

Not Measured

Not Measured

Not Applicable

SDS Revision Date: 07/07/2015 File No.: 0029

Upper/lower flammability or explosive limits Lower Explosive Limit: Not Measured

**Upper Explosive Limit:** Not Measured

Vapor pressure (Pa)2.7 mmHgVapor DensityHeavier than airSpecific Gravity0.92-0.97Solubility in WaterInsoluble

Partition coefficient n-octanol/water (Log Kow) Not Measured

Auto-ignition temperature >200C

Decomposition temperatureNot MeasuredViscosity (cSt)Not Measured

% Volatile Approximately 80-84%

9.2. Other information

No other relevant information.

### 10. Stability and reactivity

#### 10.1. Reactivity

Hazardous Polymerization will not occur.

#### 10.2. Chemical stability

Stable under normal circumstances.

#### 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Excessive heat and open flame.

#### 10.5. Incompatible materials

Strong acids, alkalis, and oxidizers such as liquid chlorine, halogens, hydrogen peroxide, oxygen.

#### 10.6. Hazardous decomposition products

Oxides of Carbon, Aldehydes and Hydrocarbons.

### 11. Toxicological information

#### **Acute toxicity**

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.

Based upon animal testing, the C9 aromatic hydrocarbon components (trimethylbenzenes and ethylmethylbenzenes)

SDS Revision Date: 07/07/2015 File No.: 0029

are presumed to cause fetal toxicity and/or decreased fetal and newborn weights if overexposure occurs during the early gestation period.

| Ingredient   | Oral LD50,<br>mg/kg             | Skin LD50,<br>mg/kg                  | Inhalation<br>Vapor LC50,<br>mg/L/4hr | Inhalation<br>Dust/Mist LC50,<br>mg/L/4hr | Inhalation<br>Gas LC50,<br>ppm |
|--|---------------------------------|--------------------------------------|---------------------------------------|---|--------------------------------|
| Solvent naphtha (petroleum), medium aliphatic - (64742-88-7) | 6,000.00, Rat -<br>Category: NA | 3,000.00,<br>Rabbit -<br>Category: 5 | No data<br>available                  | No data<br>available                      | No data<br>available           |
| Solvent naphtha (petroleum), light aromatic - (64742-95-6)   | 6,800.00, Rat -<br>Category: NA | 3,400.00,<br>Rabbit -<br>Category: 5 | No data<br>available                  | No data available                         | No data<br>available           |

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

| Classification                | Category | Hazard Description  |
|-------------------------------|----------|---|
| Acute toxicity (oral)         |          | Not Applicable  |
| Acute toxicity (dermal)       |          | Not Applicable  |
| Acute toxicity (inhalation)   |          | Not Applicable  |
| Skin corrosion/irritation     |          | Not Applicable  |
| Serious eye damage/irritation |          | Not Applicable  |
| Respiratory sensitization     |          | Not Applicable  |
| Skin sensitization            |          | Not Applicable  |
| Germ cell mutagenicity        |          | Not Applicable  |
| Carcinogenicity               |          | Not Applicable  |
| Reproductive toxicity         |          | Not Applicable  |
| STOT-single exposure          |          | Not Applicable  |
| STOT-repeated exposure        | 1        | Causes damage to organs through prolonged or repeated exposure. |
| Aspiration hazard             |          | Not Applicable  |

## 12. Ecological information

#### 12.1. Toxicity

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and GHS and is not classified as dangerous for the environment, but contains substance(s) dangerous for the environment. See section 3 for details

#### **Aquatic Ecotoxicity**

| Ingredient  | 96 hr LC50 fish,   | 48 hr EC50 crustacea, | ErC50 algae,                |  |
|---|--------------------|-----------------------|-----------------------------|--|
|   | mg/l               | mg/l                  | mg/l                        |  |
| Solvent naphtha (petroleum), medium aliphatic - (64742- | 800.00, Pimephales | 100.00, Daphnia magna | 450.00 (96 hr), Selenastrum |  |

SDS Revision Date: 07/07/2015 File No.: 0029

| 88-7)  | promelas                     |                     | capricornutum                            |
|--|------------------------------|---------------------|--|
| Solvent naphtha (petroleum), light aromatic - (64742-95-6) | 9.22, Oncorhynchus<br>mykiss | 6.14, Daphnia magna | 19.00 (72 hr), Selenastrum capricornutum |

#### 12.2. Persistence and degradability

There is no data available on the preparation itself.

#### 12.3. Bioaccumulative potential

Not Measured

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

#### 12.6. Other adverse effects

No data available.

### 13. Disposal considerations

#### 13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

### 14. Transport information

DOT (Domestic Surface IMO / IMDG (Ocean ICAO/IATA Transportation) Transportation)

**14.1. UN number** UN1268 UN1268 UN1268

**14.2. UN proper shipping** UN1268, Petroleum distillates, n.o.s. Petroleum distillates, n.o.s. Petroleum distillates, n.o.s. Petroleum distillates, n.o.s.

14.3. Transport hazard DOT Hazard Class: 3 IMDG: 3 Air Class: 3

class(es)

Not Applicable

Air Class: 3

Sub Class: Not Applicable

14.4. Packing group

14.5. Environmental hazards

IMDG Marine Pollutant: No

14.6. Special precautions for user

No further information

## 15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected

SDS Revision Date: 07/07/2015 File No.: 0029

regulations are represented.

**Toxic Substance** All components of this material are either listed or exempt from listing on the TSCA

Control Act (TSCA) Inventory. WHMIS Classification B3 D2A

US EPA Tier II Hazards Fire: Yes

Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): No Delayed (Chronic): Yes

#### EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **EPCRA 302 Extremely Hazardous:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **EPCRA 313 Toxic Chemicals:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **Proposition 65 - Female Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **Proposition 65 - Male Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### New Jersey RTK Substances (>1%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### Pennsylvania RTK Substances (>1%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### 16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H304 May be fatal if swallowed and enters airways.

H372 Causes damage to organs through prolonged or repeated exposure.

## This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

DISCLAIMER: The information and recommendations contained herein are based upon data believed to be correct. Life Industries Corporation assumes no liability for misinterpretation of the data contained within this form as any type

|                    | • |            |                |
|--------------------|---|------------|----------------|
| SDS Revision Date: |   | 07/07/2015 | File No.: 0029 |

of warranty or guarantee of the product.

**End of Document**